


FRONT DISC BRAKE (G2344330)

SPECIFICATIONS

General Specification

ITEM	SPECIFICATION
Disc type:	Ventilated
Disc diameter:	
Vehicles with 2 piston floating caliper	349 mm (13.74 in)
Vehicles with 4 piston fixed caliper	363 mm (14.29 in)
Vehicles with 6 piston fixed caliper	380 mm (14.96 in)
Service limit	marked on the disc
Brake pad wear sensor lead:	
Location	Front left brake pad

Torque Specification Vehicle with 2 piston floating caliper

COMPONENT TORQUE LOCATION





NOTE:

Numbers with green background are a single use component.

	DESCRIPTION	NM	LB-FT	LB-IN
1	Brake caliper slide pins	35	26	-
2	Banjo bolt	32	24	-
3	Brake disc bolt	10	7	-

	DESCRIPTION	NM		LB-FT		LB-IN
4	Brake caliper carrier bolts	Stage 1: 133	Stage 2: 60°	Stage 1: 98	Stage 2: 60°	-

Torque Specification Vehicle with 4 piston fixed caliper

COMPONENT TORQUE LOCATION						
						




NOTE:

Numbers with green background are a single use component.

	DESCRIPTION	NM		LB-FT		LB-IN
5	Banjo bolt	32		24		-
6	Brake disc bolt	10		7		-
7	Brake caliper bolts	Stage 1: 133	Stage 2: 60°	Stage 1: 98	Stage 2: 60°	-

Torque Specification Vehicle with 6 piston fixed caliper

COMPONENT TORQUE LOCATION						
						



NOTE:

Numbers with green background are a single use component.

	DESCRIPTION	NM		LB-FT		LB-IN
8	Cooling scoop bolts	4		-		35
9	Banjo bolt	32		24		-

	DESCRIPTION	NM		LB-FT		LB-IN
10	Brake disc bolt	35		26		-
11	Brake caliper bolts	Stage 1: 133	Stage 2: 60°	Stage 1: 98	Stage 2: 60°	-

cmjjaGFyZG1vcnRvbjsyMDIwLTASLTExVDA3OjQ4OjE2LjMzOFo7OTAuMTk5LjEyMS4xMTc7

mcx30.com