

PUBLISHED: 28-NOV-2019
2020.0 DEFENDER (LE), 415-01

INFORMATION AND ENTERTAINMENT SYSTEM

DAB3 ANTENNA AMPLIFIER – 90 (G2441868)

mcx30.com

REMOVAL

 NOTE:


- This procedure contains some variation in the illustrations depending on the vehicle specification, but the essential information is always correct.
- This procedure contains illustrations showing certain components removed to provide extra clarity.
- This procedure contains illustrations for right side components, left side components are similar.

1. Disconnect the startup battery ground cable.

Refer to: [Startup Battery Disconnect and Connect](#) (414-00 Battery and Charging System - General Information, General Procedures).

2. Remove the LH B-pillar upper trim panel.

Refer to: [B-Pillar Upper Trim Panel - 90](#) (501-05 Interior Trim and Ornamentation, Removal and Installation).



- Disconnect the 2 electrical connectors.
- Remove the bolt.
- Release the clip from the bracket.
- Remove the antenna.

INSTALLATION

1.



NOTE:

Make sure that the component is correctly located.

- Install the clip.
- Install the antenna.
- Install and tighten the bolt.
Torque: 3Nm
- Connect the 2 electrical connectors.

2.

Remove the LH B-pillar upper trim panel.

Refer to: [B-Pillar Upper Trim Panel - 90](#) (501-05 Interior Trim and Ornamentation, Removal and Installation).

3.

Connect the startup battery ground cable.

Refer to: [Startup Battery Disconnect and Connect](#) (414-00 Battery and Charging System - General Information, General Procedures).