

PUBLISHED: 20-MAY-2020
2020.0 DEFENDER (LE), 501-05

INTERIOR TRIM AND ORNAMENTATION

FRONT TREADPLATE (G2408457)

mcx30.com

REMOVAL

 CAUTION:

Protect the surrounding paintwork to avoid damage.

 NOTE:

- This procedure contains illustrations for the left side components, right side components are similar.
- This procedure contains illustrations showing certain components removed to provide extra clarity.
- This procedure contains some variation in the illustrations depending on the vehicle specification, but the essential information is always correct.

The following step(s) applies to:

3-door

1. Remove the rear quarter trim panel.

Refer to: [Rear Quarter Trim Panel - 90](#) (501-05 Interior Trim and Ornamentation, Removal and Installation).

The following step(s) applies to:

5-door

2. Remove the B-pillar lower trim panel.

Refer to: [B-Pillar Lower Trim Panel](#) (501-05 Interior Trim and Ornamentation, Removal and Installation).


The following step(s) applies to:

All vehicles

3.


⚠ CAUTION:

Use a suitable trim tool.



- Release the 11 clips.
- Reposition the front treadplate to get access to the electrical connector.

4.



- Disconnect the electrical connector.
- Remove the front treadplate trim.

INSTALLATION

The following step(s) applies to:

All vehicles

1.

- Install the front treadplate trim.
- Connect the electrical connector.

2.

Install the 11 clips.

The following step(s) applies to:

5-door

3.

Install the B-pillar lower trim panel.

Refer to: [B-Pillar Lower Trim Panel](#) (501-05 Interior Trim and Ornamentation, Removal and Installation).

The following step(s) applies to:

3-door

4.

Install the rear quarter trim panel.

Refer to: [Rear Quarter Trim Panel - 90](#) (501-05 Interior Trim and Ornamentation, Removal and Installation).