


EXTERIOR TRIM AND ORNAMENTATION (G2344390)

SPECIFICATIONS


Torque Specifications

COMPONENT TORQUE LOCATION




	DESCRIPTION	NM	LB-FT	LB-IN
1	Roof moulding M8 bolt	8	-	71
2	Roof moulding M6 bolt	8	-	71

COMPONENT TORQUE LOCATION




	DESCRIPTION	NM	LB-FT	LB-IN
3	Rear wheel arch liner bolt	10	7	-
4	Rear wheel arch liner finisher panel bolt	4.1	-	36

COMPONENT TORQUE LOCATION




	DESCRIPTION	NM	LB-FT	LB-IN
5	Rear spoiler finisher bolt	4.5	-	40

COMPONENT TORQUE LOCATION




	DESCRIPTION	NM	LB-FT	LB-IN
6	Rear spoiler bracket bolt	4.5	-	40

COMPONENT TORQUE LOCATION



	DESCRIPTION	NM	LB-FT	LB-IN
7	High Mounted Stop Lamp (HMSL) bracket screw	2	-	18
8	HMSL screw	2	-	18

COMPONENT TORQUE LOCATION



	DESCRIPTION	NM	LB-FT	LB-IN
9	Roof front trim panel nut	4	-	35