

PUBLISHED: 15-FEB-2020
2020.0 DEFENDER (LE), 501-09

REAR VIEW MIRRORS

DOOR MIRROR MOTOR ASSEMBLY (G2416601)

mcx30.com

REMOVAL

 NOTE:

- This procedure contains some variation in the illustrations depending on the vehicle specification, but the essential information is always correct.
- This procedure contains illustrations showing certain components removed to provide extra clarity.
- This procedure contains illustrations for left side components, right side components are similar.


1. Remove the door mirror glass.

Refer to: [Door Mirror Glass](#) (501-09 Rear View Mirrors, Removal and Installation).

- 2.

 CAUTION:

- Take extra care when releasing the clips, if not followed the vehicle will be damaged.
- Use a suitable tool to release the door mirror motor assembly.



- Remove the screw.
- Release the 3 clips.
- Disconnect the electrical connector.
- Remove the door mirror motor assembly.

1.

 CAUTION:

- Make sure all the clips are properly installed.
- An audible click is heard when the door mirror motor assembly is located correctly.
- Make sure that the wiring harnesses are correctly located.

- Connect the electrical connector.
- Install the door mirror motor assembly.
- Install the 3 clips.
- Install and tighten the screw.

Torque: 1.2Nm

2.

Install the door mirror glass.

Refer to: [Door Mirror Glass](#) (501-09 Rear View Mirrors, Removal and Installation).