

PUBLISHED: 08-JAN-2020
2020.0 DEFENDER (LE), 501-10

SEATING

FRONT ROW SEAT CUSHION – VEHICLES WITH: ROW SPECIFICATION (G2435687)

mcx30.com

REMOVAL

 NOTE:

- This procedure contains illustrations showing certain components removed to provide extra clarity.
- This procedure contains some variation in the illustrations depending on the vehicle specification, but the essential information is always correct.

The following step(s) applies to:

All vehicles

1. Remove the front row seat cushion cover.

Refer to: [Front Row Seat Cushion Cover](#) (501-10 Seating, Removal and Installation).

- 2.

 NOTE:

If equipped.



Remove the Occupant Detection Sensor (ODS).

The following step(s) applies to:
Vehicles with climate controlled seats

3.



Remove the climate control insert.

The following step(s) applies to:
Vehicles with heated front row seats

4.



Remove the front row seat cushion heater element.

INSTALLATION

The following step(s) applies to:

All vehicles

1.

NOTE:

If equipped.

Install the Occupant Detection Sensor (ODS).

The following step(s) applies to:

Vehicles with heated front row seats

2.

Install the front row seat cushion heater element.

The following step(s) applies to:

Vehicles with climate controlled seats

-
3. Install the climate control insert.

The following step(s) applies to:

All vehicles

-
4. Install the front row seat cushion cover.

Refer to: [Front Row Seat Cushion Cover](#) (501-10 Seating, Removal and Installation).

cmjjaGFyZG1vcnRvbjsyMDIwLTASLTE4VDEyOjIzOjQ1LjgzMVo7OTIuNDAuMTg5LjUwOw==

mcx30.com