

PUBLISHED: 21-JUL-2020
2020.0 DEFENDER (LE), 501-16

WIPERS AND WASHERS

REAR WINDOW WIPER ARM (G2416412)

mcx30.com

REMOVAL


 NOTES:

- This procedure contains some variation in the illustrations depending on the vehicle specification, but the essential information is always correct.
- This procedure contains illustrations showing certain components removed to provide extra clarity.

1.


 NOTE:

Note the orientation of the spare wheel prior to removal.



- Remove the 3 wheel nuts.
- Remove the spare wheel.

2.




Release the nut cover.

3.



Use a suitable piece of tape to establish reference marks to aid alignment.

4.




- Remove the nut.
- Use suitable tool to remove the rear window wiper arm.

5.

 NOTE:

Do not disassemble further if the component is removed for access only.



Remove the rear window wiper blade from the rear window wiper arm as illustrated.

INSTALLATION

1. Install the rear window wiper blade to the rear window wiper arm.

2.

⚠ CAUTION:

Make sure that the components are correctly aligned.

- Install the rear window wiper arm.
- Install and tighten the nut.

Torque: 14Nm

3. Install the nut cover.

4.

- Install the spare wheel.
- Install and tighten the 3 wheel nuts.

Torque: 140Nm