

PUBLISHED: 08-SEP-2020
2020.0 DEFENDER (LE), 501-17

ROOF OPENING PANEL

CANVAS ROOF WEATHERSTRIP (G2684056)

mcx30.com

REMOVAL AND INSTALLATION

MATERIALS

NAME	SPECIFICATION
Primer 3842 A (80%) + 3842 B (20%)	null / null

REMOVAL



WARNING:

Make sure the ignition is OFF before carrying out this procedure.



NOTES:

- This procedure contains some variation in the illustrations depending on the vehicle specification, but the essential information is always correct.
- This procedure contains illustrations showing certain components removed to provide extra clarity.

1.

Remove the canvas roof outer canvas.

Refer to: [Canvas Roof Outer Canvas](#) (501-17 Roof Opening Panel, Removal and Installation).

2.


Remove both canvas roof side finishers.

Refer to: [Canvas Roof Side Finisher](#) (501-17 Roof Opening Panel, Removal and Installation).

3.

 NOTE:

The weatherstrip is attached with double-sided adhesive tape to the frame.




Remove the canvas roof weatherstrip.

1.

⚠ CAUTIONS:

- Protect the surrounding paintwork to avoid damage.
- Protect the surrounding components.
- Make sure that the mating faces are clean and free of foreign material.




Use suitable plastic tool, to remove all adhesives from the frame.

2.

ⓘ CAUTIONS:

- Make sure all mating faces are clean and dry before applying sealant.
- Touching the adhesive surface will impair re-bonding.
- Do not stretch the canvas roof weatherstrip during installation.
- Make sure the pressure is equal on all faces of the seal.



- Use heptane to clean the mating faces. (cleaner: Heptane)
- Apply a thin coat of the specified mixture of primer to the frame.
Material: [Primer 3842 A \(80%\) + 3842 B \(20%\) \(null / null\)](#)
- Install the canvas roof weatherstrip.

3.


Install the canvas roof outer canvas.

Refer to: [Canvas Roof Outer Canvas](#) (501-17 Roof Opening Panel, Removal and Installation).

4.

Install the canvas roof side finisher on both side.

Refer to: [Canvas Roof Side Finisher](#) (501-17 Roof Opening Panel, Removal and Installation).



- Spray water around the canvas roof frame.
- Inspect for any possible leaks.