

2022 CHEVROLET CORVETTE SERVICE MANUAL

- [SEARCH](#)

1. [Engine/Propulsion](#)
2. [Exhaust](#)
3. [Repair Instructions](#)
- 4.

Exhaust Rear Underbody Heat Shield Replacement - Left Side (Convertible)

Warning:


In order to avoid being burned, do not service the exhaust system while it is still hot. Service the system when it is cool.

Warning:


Avoid contact with HOT components. Wear safety glasses and protective gloves to avoid personal injury.

Removal Procedure

1. [Click here for full size](#)
2. [Rear Window Panel \(2\) >> Remove - Rear Window Panel Replacement](#)




3. [Click here for full size](#)
4. [Load Floor Panel Rear Cross Bar - Left Side \(2\) >> Remove - Load Floor Panel Rear Cross Bar Replacement - Left Side](#)




5.
[Click here for full size](#)

6. Catalytic Converter - Left Side (1) >> Remove - Catalytic Converter Replacement - Left Side




7.
[Click here for full size](#)

8. Rear Cradle Shear Plate (2) >> Remove - Rear Cradle Shear Plate Replacement



9.
[Click here for full size](#)


10. Exhaust System Washer (1) >> Remove



11.
[Click here for full size](#)


12. Exhaust System Washer (1) >> Remove

13. Lower the vehicle.




14.
[Click here for full size](#)

15. Exhaust System Washer (1) >> Remove



16.
[Click here for full size](#)

17. Exhaust System Washer (1) >> Remove



18.
[Click here for full size](#)


19. Exhaust Rear Underbody Heat Shield (1) >> Remove

Installation Procedure




1.
[Click here for full size](#)

2. Exhaust Rear Underbody Heat Shield (1) >> Install




3. [Click here for full size](#)
4. Caution:
Refer to Fastener Caution.
5. Exhaust System Washer (1) >> Install and tighten 1.5 N-m (13 lb in)




6. [Click here for full size](#)
7. Exhaust System Washer (1) >> Install and tighten 1.5 N-m (13 lb in)

8. Raise the vehicle.




9.
[Click here for full size](#)

10. Exhaust System Washer (1) >> Install and tighten 1.5 N-m (13 lb in)




11.
[Click here for full size](#)

12. Exhaust System Washer (1) Install >>




13.
[Click here for full size](#)

14. Rear Cradle Shear Plate (2) >> Install - Rear Cradle Shear Plate Replacement



15.
[Click here for full size](#)

16. Catalytic Converter - Left Side (1) >> Install - Catalytic Converter Replacement - Left Side



17. [Click here for full size](#)
18. Load Floor Panel Rear Cross Bar - Left Side (2) >> Install - Load Floor Panel Rear Cross Bar Replacement - Left Side
19. [Click here for full size](#)
20. Rear Window Panel (2) >> Install - Rear Window Panel Replacement