

2022 CHEVROLET CORVETTE SERVICE MANUAL

- SEARCH

1. Body Hardware and Trim
2. Interior Trim and Paneling
3. Repair Instructions
- 4.

Windshield Upper Garnish Molding Replacement (Coupe)

Removal Procedure

1. Warning:

Do not attempt to repair or alter the head impact energy-absorbing material glued to the headliner or to the garnish trims. If the material is damaged, replace the headliner and/or the garnish trim. Failure to do so could result in personal injury.


2. Caution:

If a vehicle is equipped with a head curtain inflator module ensure that the inflator module and tether are undamaged. If tether or curtain airbag are damaged in any way, they must be replaced.

3. Caution:

Use care when working around the head curtain inflator module. Sharp tools may puncture the curtain airbag. If the head curtain inflator module is damaged in any way, it must be replaced.


4. Disable the SIR system. Refer to SIR Disabling and Enabling.



- 5.


[Click here for full size](#)

6. Roof Lift Off Panel (1) >> Remove - Roof Lift Off Panel Replacement




7.
[Click here for full size](#)

8. Windshield Garnish Molding (2) >> Remove [2x] - Windshield Garnish Molding Replacement



9.
[Click here for full size](#)


10. Sunshade (3) >> Remove [2x] - Sunshade Replacement



11.

[Click here for full size](#)


12. Sunshade Support (2) >> Remove [2x] - Sunshade Support Replacement



13.


[Click here for full size](#)

14. Inside Rearview Mirror (1) >> Remove - Inside Rearview Mirror Replacement



15.
[Click here for full size](#)

16. Windshield Multifunction Sensor Mount Bracket Cover (1) >> Remove - Windshield Multifunction Sensor Mount Bracket Cover Replacement




17.
[Click here for full size](#)

18. Windshield Upper Garnish Molding Bolt (1) >> Remove [2x]


19. Windshield Upper Garnish Molding (2) >> Remove

20. Disconnect the electrical connectors.
21. Transfer components as necessary.

Installation Procedure




1. [Click here for full size](#)
2. Windshield Upper Garnish Molding (2) >> Install
3. Connect the electrical connectors.
4. Caution:
Refer to Fastener Caution.
5. Windshield Upper Garnish Molding Bolt (1) >> Install and tighten [2x]2.5 N-m (22 lb in)



6.

[Click here for full size](#)


7. Windshield Multifunction Sensor Mount Bracket Cover (1) >> Install - Windshield Multifunction Sensor Mount Bracket Cover Replacement



8.


[Click here for full size](#)

9. Inside Rearview Mirror (1) >> Install - Inside Rearview Mirror Replacement




10.
[Click here for full size](#)

11. Sunshade Support (2) >> Install [2x] - Sunshade Support Replacement




12.
[Click here for full size](#)

13. Sunshade (3) >> Install [2x] - Sunshade Replacement



14.
[Click here for full size](#)

15. Windshield Garnish Molding (2) >> Install [2x] - Windshield Garnish Molding Replacement



16.
[Click here for full size](#)

17. Roof Lift Off Panel (1) >> Install - Roof Lift Off Panel Replacement

18. Enable the SIR System. SIR Disabling and Enabling