


2022 CHEVROLET CORVETTE SERVICE MANUAL

- [SEARCH](#)


1. [Body Repair](#)
2. [Bolted Exterior Body Panels and Closures](#)
3. [Repair Instructions](#)
- 4.

Front Fender Replacement - Left Side

Removal Procedure



1. [Click here for full size](#)
2. Front Compartment Rear Access Cover (2) >> Remove - Front Compartment Rear Access Cover Replacement




3.

[Click here for full size](#)

4. Front Compartment Front Sight Shield (3) >>> Remove - Front Compartment Front Sight Shield Replacement

5. Air Inlet Grille Panel Extension >>> Remove - Air Inlet Grille Panel Extension Replacement

6. Front Wheelhouse Liner - Left Side >>> Remove - Front Wheelhouse Liner Replacement - Left Side




7.


[Click here for full size](#)

8. Front Fender Insulator - Left Side (2) >>> Remove - Front Fender Insulator Replacement - Left Side


9. [Click here for full size](#)
10. Release the 2 front bumper fascia guide inner retainer tabs (1) and pull the front bumper fascia up from the front bumper fascia guide inner.
11. Front Bumper Fascia Bolt (2) >> Remove [2x]
12. [Click here for full size](#)
13. Front Bumper Fascia Bolt (1) >> Remove [3x]



14. [Click here for full size](#)
15. Front Bumper Fascia Bolt (1) >> Remove




16. [Click here for full size](#)
17. Front Fender Bolt (1) >> Remove [3x]




18.
[Click here for full size](#)

19. Front Fender Bolt (1) >> Remove [3x]



20.
[Click here for full size](#)

21. Front Fender Bolt (1) >> Remove [3x]




22.

[Click here for full size](#)

23. Slide the front fender (1) rearward to release the headlamp guide pin and remove.

24. Transfer components as necessary.


Installation Procedure



1.

[Click here for full size](#)

2. Front Fender - Left Side (1) >> Install




3. [Click here for full size](#)

4. Caution:


Refer to Fastener Caution.

5. Front Fender Bolt (1) >> Install and tighten [3x]9>N-m (80 lb in)




6. [Click here for full size](#)

7. Front Fender Bolt (1) >> Install and tighten [3x]9>N-m (80 lb in)



8. [Click here for full size](#)
9. Front Fender Bolt (1) >> Install and tighten [3x]9>N-m (80 lb in)
10. [Click here for full size](#)
11. Front Bumper Fascia Bolt (1) >> Install and tighten [3x]2.5N-m (22 lb in)
12. [Click here for full size](#)
13. Front Bumper Fascia Bolt (2) >> Install and tighten [2x]2.5N-m (22 lb in)
14. Install the 2 front bumper fascia guide inner retainer tabs (1) to the front bumper fascia.




15.
[Click here for full size](#)

16. Front Fender Insulator - Left Side (2) >> Install - Front Fender Insulator Replacement - Left Side


17. Front Wheelhouse Liner - Left Side >> Install - Front Wheelhouse Liner Replacement - Left Side

18. Air Inlet Grille Panel Extension >> Install - Air Inlet Grille Panel Extension Replacement



19.
[Click here for full size](#)

20. Front Compartment Front Sight Shield (3) >> Install - Front Compartment Front Sight Shield Replacement



21.
[Click here for full size](#)

22. Front Compartment Rear Access Cover (2) >>> Install - Front Compartment Rear Access Cover Replacement

mcx30.com