

2022 CHEVROLET CORVETTE SERVICE MANUAL

- SEARCH

1. Body Repair

2. Bolted Exterior Body Panels and Closures

3. Repair Instructions

- 4.


Hood Latch Actuator Replacement (RHD)

Removal Procedure

1. Instrument Panel Lower Trim Panel Insulator Replacement - Left Side >> Remove - Instrument Panel Lower Trim Panel Insulator Replacement - Left Side
2. Windshield Wiper Transmission >> Remove - Windshield Wiper Transmission Replacement




3.
Click here for full size
4. Front Compartment Front Panel (1) >> Remove - Front Compartment Front Panel Replacement
5. Click here for full size
6. Note:
The cables are NOT serviced from the hood latch actuator.
7. Release the retainer (1) from the instrument panel lower bracket.
8. Release the cable grommet (2) from the dash panel.
9. Attach mechanics wire to the actuator cable (3) and pull the cable out.




10.
[Click here for full size](#)

11. Release the cable grommet (1) from the dash panel.
12. Remove the actuator cable (3) from the retainers (2).
13. Remove mechanics wire from the actuator cable (3).




14.
[Click here for full size](#)

15. Hood Primary and Secondary Latch Bolt (1) >> Remove [2x]




16. [Click here for full size](#)
17. Disconnect the electrical connector.
18. Hood Latch Actuator Bolt (1) >> Remove [2x]
19. Release the actuator cables from the 4 retainers (2).
20. Disconnect the actuator cable from the hood latch.
21. Hood Latch Actuator (3) >> Remove

Installation Procedure




1. [Click here for full size](#)
2. Hood Latch Actuator (3) >> Install
3. Caution:
Refer to Fastener Caution.
4. Hood Latch Actuator Bolt (1) Install and tighten [2x]9>N-m (80 lb in)
5. Connect the electrical connector.
6. Attach the actuator cables to the 4 retainers (2).
7. Connect the actuator cable to the hood latch.



8.
[Click here for full size](#)

9. Hood Primary and Secondary Latch Bolt (1) >> Install and tighten [2x] - Fastener Specifications



10.
[Click here for full size](#)

11. Attach the mechanics wire to the new latch cable (3) and guide the cable in.

12. Attach the cable grommet (1) to the dash panel.

13. Install the actuator cable (3) to the retainers (2).

14. [Click here for full size](#)
15. Install the retainer (1) to the instrument panel lower bracket.
16. Remove mechanics wire from the actuator cable (3).



17. [Click here for full size](#)
18. Front Compartment Front Panel (1) >> Install - Front Compartment Front Panel Replacement
19. Windshield Wiper Transmission >> Install - Windshield Wiper Transmission Replacement
20. Instrument Panel Lower Trim Panel Insulator Replacement - Left Side >> Install - Instrument Panel Lower Trim Panel Insulator Replacement - Left Side