

2022 CHEVROLET CORVETTE SERVICE MANUAL


- [SEARCH](#)

1. [Suspension](#)
2. [Rear Suspension](#)
3. [Repair Instructions](#)
- 4.


Rear Stabilizer Shaft Replacement

Removal Procedure

1. Raise and support the vehicle. Lifting and Jacking the Vehicle



2. [Click here for full size](#)
3. Underbody Rear Air Deflector (1) >> Remove - Underbody Rear Air Rear Deflector Replacement
4. Rear Stabilizer Shaft Link @ Rear Stabilizer Shaft >> Remove [2x] - Rear Stabilizer Shaft Link Replacement




5.

[Click here for full size](#)

6. Rear Stabilizer Shaft Insulator Clamp Bolt (1) >> Remove [4x]

7. Rear Stabilizer Shaft Clamp (2) >> Remove [2x]



8.


[Click here for full size](#)

9. Note:

The rear stabilizer shaft insulators are serviced with the rear stabilizer shaft (1).

10. Rear Stabilizer Shaft (1) >> Remove


Installation Procedure



1. [Click here for full size](#)
2. Note:

The rear stabilizer shaft insulators are serviced with the rear stabilizer shaft (1).


3. Rear Stabilizer Shaft (1) >> Install



- 4.

[Click here for full size](#)

5. Rear Stabilizer Shaft Clamp (2) >> Install [2x]
6. Rear Stabilizer Shaft Insulator Clamp Bolt (1) >> Install and hand tighten [4x]
7. Rear Stabilizer Shaft Link @ Rear Stabilizer Shaft >> Install [2x] - Rear Stabilizer Shaft Link Replacement
8. Remove the support and lower the vehicle.




9. [Click here for full size](#)

10. Caution:

Refer to Fastener Caution.

11. With the vehicle at ride height, tighten the 4 rear stabilizer shaft insulator clamp bolts (1) to 58 N-m (43 lb ft).



- 12.

[Click here for full size](#)

13. Underbody Rear Air Deflector (1) >> Install - Underbody Rear Air Rear Deflector Replacement
14. Remove the support and lower the vehicle.

mcx30.com