

2022 CHEVROLET CORVETTE SERVICE MANUAL


- [SEARCH](#)

1. [Suspension](#)
2. [Rear Suspension](#)
3. [Repair Instructions](#)
- 4.


Rear Suspension Adjust Link Replacement

Removal Procedure

1. Raise and support the vehicle. Lifting and Jacking the Vehicle




2. [Click here for full size](#)
3. Rear Cradle Shear Plate (2) >> Remove - Rear Cradle Shear Plate Replacement
4. Remove the rear tire and wheel assembly. Tire and Wheel Removal and Installation




5.
[Click here for full size](#)

6. Rear Suspension Adjust Link Outer End (3) @ Rear Suspension Knuckle >> Remove - Rear Suspension Adjust Link Outer End Replacement



7.
[Click here for full size](#)


8. Rear Suspension Link Inner Nut (1) >> Remove



9.
[Click here for full size](#)


10. Rear Suspension Adjust Link (1) >> Remove

Installation Procedure




1.
[Click here for full size](#)

2. Rear Suspension Adjust Link (1) >> Install




3. [Click here for full size](#)
4. Caution:
Fastener Caution.
5. Rear Suspension Link Inner Nut (1) >> Install and tighten 100 N-m (74 lb ft)



6. [Click here for full size](#)
7. Rear Suspension Adjust Link Outer End (3) @ Rear Suspension Knuckle >> Install - Rear Suspension Adjust Link Outer End Replacement

8. Install the rear tire and wheel assembly. Tire and Wheel Removal and Installation



9.
[Click here for full size](#)
10. Rear Cradle Shear Plate (2) >> Install - Rear Cradle Shear Plate Replacement
11. Remove the support and lower the vehicle.
12. Verify the rear toe angle and adjust as necessary. Rear Toe Adjustment