

2022 CHEVROLET CORVETTE SERVICE MANUAL

- **SEARCH**

1. **Engine/Propulsion**
2. **Engine Controls and Fuel - 6.2L (LT2)**
3. **Repair Instructions**
- 4.

Fuel Feed Rear Hose Replacement (Convertible)

Warning:


Refer to Diesel/Gasoline Vapors Warning.

Warning:


Refer to Safety Glasses Warning.

Removal Procedure

1. Click here for full size
2. Rear Window Panel (2>) >> Remove - Rear Window Panel Replacement
3. Relieve the fuel system pressure. Fuel Pressure Relief
4. Disconnect the battery negative cable. Battery Negative Cable Disconnection and Connection
5. Underbody Rear Air Deflector >> Remove - Underbody Rear Air Deflector Replacement




6. Click here for full size
7. Fuel Feed Rear Hose (1>) >> Disconnect - Metal Collar Quick Connect Fitting Service
8. Fuel Feed Rear Hose (1>) @ Retainer (2>) >> Remove [2>x]




9. [Click here for full size](#)
10. Fuel Feed Rear Hose (1>) @ Retainer (2>) >> Remove
11. [Click here for full size](#)
12. Fuel Feed Rear Hose (1>) >> Disconnect - Metal Collar Quick Connect Fitting Service
13. Fuel Feed Rear Hose (1>) @ Retainer (2>) >> Remove
14. Fuel Feed Rear Hose (1>) >> Remove

Installation Procedure

1. [Click here for full size](#)
2. Fuel Feed Rear Hose (1>) >> Install
3. Fuel Feed Rear Hose (1>) @ Retainer (2>) >> Install
4. Fuel Feed Rear Hose (1>) >> Connect - Metal Collar Quick Connect Fitting Service



5. [Click here for full size](#)
6. Fuel Feed Rear Hose (1>) @ Retainer (2>) >> Install



7. [Click here for full size](#)
8. Fuel Feed Rear Hose (1>) @ Retainer (2>) >> Install [2>x]
9. Fuel Feed Rear Hose (1>) >> Connect - Metal Collar Quick Connect Fitting Service
10. Underbody Rear Air Deflector >> Install - Underbody Rear Air Deflector Replacement

11. Connect the battery negative cable. Battery Negative Cable Disconnection and Connection
12. Check for fuel leaks.
13. [Click here for full size](#)
14. Rear Window Panel (2>) >> Install - Rear Window Panel Replacement

mcx30.com