

2022 CHEVROLET CORVETTE SERVICE MANUAL


- **SEARCH**

1. **Engine/Propulsion**
2. **Engine Controls and Fuel - 6.2L (LT2)**
3. **Repair Instructions**
- 4.


Fuel Feed Rear Hose Replacement (Coupe)

Removal Procedure

1. Warning:
Refer to Diesel/Gasoline Vapors Warning.
2. Warning:
Refer to Safety Glasses Warning.
3. Relieve the fuel system pressure. Fuel Pressure Relief
4. Disconnect the battery negative cable. Battery Negative Cable Disconnection and Connection
5. Underbody Rear Air Deflector >> Remove - Underbody Rear Air Deflector Replacement




6.
[Click here for full size](#)
7. Fuel Feed Rear Hose (1>) >> Disconnect - Metal Collar Quick Connect Fitting Service
8. Fuel Feed Rear Hose (1>) @ Retainer (2>) >> Remove [2>x]



9.
[Click here for full size](#)

10. Fuel Feed Rear Hose (1>) @ Retainer (2>) >> Remove




11.
[Click here for full size](#)

12. Fuel Feed Rear Hose (1>) >> Disconnect - Metal Collar Quick Connect Fitting Service


13. Fuel Feed Rear Hose (1>) @ Retainer (2>) >> Remove

14. Fuel Feed Rear Hose (1>) >> Remove

Installation Procedure




1. [Click here for full size](#)
2. Fuel Feed Rear Hose (1>) >> Install
3. Fuel Feed Rear Hose (1>) @ Retainer (2>) >> Install
4. Fuel Feed Rear Hose (1>) >> Connect - Metal Collar Quick Connect Fitting Service



5. [Click here for full size](#)

6. Fuel Feed Rear Hose (1>) @ Retainer (2>) >> Install



7.
[Click here for full size](#)

8. Fuel Feed Rear Hose (1>) @ Retainer (2>) >> Install [2>x]

9. Fuel Feed Rear Hose (1>) >> Connect - Metal Collar Quick Connect Fitting Service

10. Underbody Rear Air Deflector >> Install - Underbody Rear Air Deflector Replacement

11. Connect the battery negative cable. Battery Negative Cable Disconnection and Connection

12. Check for fuel leaks.