



2018 ELECTRICAL**Component Connector End Views (B80 - G13) - Traverse****COMPONENT CONNECTOR END VIEWS****B80 PARK BRAKE SWITCH (W49)****Terminal Part Information**

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	13575867	J-35616-64B (LT BU)	J-38125-215A	Not Available	Not Available	Not Available	Not Available

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.35	YE	1492	Park Brake Switch Supply Voltage	I	W49
2	0.35	BN	6107	Park Brake Apply Switch Signal	I	W49
3	0.35	GY/RD	7684	Park Brake Apply Switch Voltage Reference	I	W49
4	0.35	BU/BK	6108	Park Brake Release Switch Signal	I	W49
5	0.35	YE/RD	7683	Park Brake Release Switch Voltage Reference	I	W49
6	0.35	BU/VT	1134	Park Brake Switch Signal	I	W49

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
7	-	-	-	Not Occupied	-	-
8	0.35	YE	6817	LED Backlight Dimming Control	I	W49
9	-	-	-	Not Occupied	-	-
10	0.35	BK/WH	1551	Signal Ground	I	W49

B80 PARK BRAKE SWITCH (X88)




Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-64B (LT BU)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.35	YE	1492	Park Brake Switch Supply Voltage	I	-
2	0.35	BU/VT	1134	Park Brake Switch Signal	I	-
3	0.35	YE/RD	7683	Park Brake Release Switch Voltage Reference	I	-
4	0.35	BN	6107	Park Brake Apply Switch Signal	I	-
5	0.35	BU/BK	6108	Park Brake Release Switch Signal	I	-

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
6	0.35	YE	6817	LED Backlight Dimming Control	I	-
7	0.35	GY/RD	7684	Park Brake Apply Switch Voltage Reference	I	-
8	0.35	BK/WH	1551	Signal Ground	I	-

B87 REARVIEW CAMERA X1 (DRZ)






Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-17 (LT GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.35	GY/YE	6972	Camera Signal 2 +	I	DRZ+UVH
2	0.35	VT	6974	Camera Low Reference	I	DRZ+UVH
3	0.35	WH/BU	6973	Camera Signal 2	I	DRZ+UVH
4	0.35	BK	2150	Ground	I	DRZ+UVH
5	0.35	BN/RD	2063	6V Reference	I	DRZ+UVH

B87 REARVIEW CAMERA X2 (DRZ)





Connector Part Information


- Harness Type: Liftgate COAX
- OEM Connector: 3FA1-NCSJ-C01E6
- Service Connector: Service by Cable Assembly - See Part Catalog
- Description: 1-Way F Coax Type (BU)

Terminal Part Information


Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	No Tool Required	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
-	-	Coax	-	(ISRVM) Camera Video Signal	I	-

B87 REARVIEW CAMERA X1 (-DRZ)



B107 ACCELERATOR PEDAL POSITION SENSOR



Connector Part Information


- Harness Type: Instrument Panel
- OEM Connector: 13580188
- Service Connector: 19369713
- Description: 6-Way F 1.2 MCP Series, Sealed (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-16 (LT GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	BN/RD	1274	Accelerator Pedal Position 5V Reference 2	I	-
2	0.5	WH/RD	1164	Accelerator Pedal Position 5V Reference 1	I	-
3	0.5	YE/WH	1161	Accelerator Pedal Position Signal 1	I	-
4	0.5	BK/BU	1271	Accelerator Pedal Position Low Reference 1	I	-
5	0.5	BK/VT	1272	Accelerator Pedal Position Low Reference 2	I	-
6	0.5	GN/WH	1162	Accelerator Pedal Position Signal 2	I	-

B110 BATTERY SENSOR MODULE X1





Connector Part Information

- Harness Type: Body
- OEM Connector: 13586143
- Service Connector: 19329415
- Description: 2-Way F 1.2 MCP Series, Sealed (BK)

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-16 (LT GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	GN/VT	4621	Local Interconnect Network Serial Data Bus 21	I	-
2	0.75	RD/WH	2740	Battery Positive Voltage	I	-

B110 BATTERY SENSOR MODULE X2

Connector Part Information

- Harness Type: Battery Cable
- OEM Connector: 1181601
- Service Connector: Service by Cable Assembly - See Part Catalog
- Description: 1-Way Ring Terminal


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
------------------	-----------------	-----------------------	-----------------------	------------------	-----------	------------	------------------

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	No Tool Required	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
A	35	BK	50	Ground	I	-

B111B TURBOCHARGER BOOST/INTAKE AIR TEMPERATURE SENSOR (LTG)




Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-35 (VT)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	BK/VT	7332	Pre Throttle Air Temp and Press (TMAP) Low Reference	I	-
2	0.5	WH/BU	7329	Pre-Throttle Air Temp and Press (TMAP) Temperature Signal	I	-
3	0.5	GY/RD	7331	Pre Throttle Air Temp and Press (TMAP) 5V Reference	I	-
4	0.5	VT/BU	7330	Pre Throttle Air Temp and Press (TMAP) Air Pressure Signal	I	-

B118B WINDSHIELD WASHER FLUID LEVEL SWITCH (X88)






Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-14 (GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	VT	185	Low Washer Fluid Indicator Control	I	-
2	0.5	BK	1050	Ground	I	-

B118B WINDSHIELD WASHER FLUID LEVEL SWITCH (W49)





Connector Part Information

- Harness Type: Forward Lamp
- OEM Connector: 13593220
- Service Connector: 13593220
- Description: 2-Way F 1.5 Series (L-GY)

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-2A (GY)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	PU	185	Low Washer Fluid Indicator Control	I	-
2	0.5	BK	1050	Ground	I	-

B150 FUEL TANK PRESSURE SENSOR






- Harness Type: Fuel Tank
- OEM Connector: 13503515
- Service Connector: Service by Harness - See Part Catalog
- Description: 3-Way F 1.5 Series, Sealed (BK)

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	Not Available	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	BU/WH	890	Fuel Tank Pressure Sensor Signal	I	NTB/NUB
2	0.5	BK/GN	6281	Fuel Level Sensor Low Reference	I	NTB/NUB
3	0.5	YE/RD	2709	Fuel Tank Pressure Sensor 5V Reference	I	NTB/NUB

B153D SEAT BELT BUCKLE - DRIVER



Connector Part Information


- Harness Type: Driver Seat
- OEM Connector: 13588640
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 1.2 Series (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	Not Available	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	BK/OG	1363	Driver Seat Belt Switch Low Reference	I	-
2	0.5	OG/BN	238	Driver Seat Belt Switch Signal	I	-

B153P SEAT BELT BUCKLE - PASSENGER





Connector Part Information

- Harness Type: Passenger Seat
- OEM Connector: 13588640
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 1.2 Series (BK)



Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	Not Available	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.35	BK/OG	1361	Passenger Seat Belt Switch Low Reference	I	-
2	0.5	OG/VT	1362	Passenger Seat Belt Switch Signal	I	-

B160 WINDSHIELD TEMPERATURE AND INSIDE MOISTURE SENSOR





Connector Part Information

- Harness Type: Headliner
- OEM Connector: AIT2WSB-06-1AK
- Service Connector: 19299681
- Description: 6-Way M 0.64 Kaizen Series (BK)



Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-65B (LT BU)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.35	YE/RD	597	5V Reference	I	-
2	0.35	GY/BU	7564	Humidity Sensor Signal	I	-
3	0.35	BK/BU	7566	Humidity/Windscreen Temp Sensor Low Reference	I	-
4	0.35	GY/GN	7565	Windscreen Temp Sensor Signal	I	-
5	0.35	YE/BU	3197	Humidity Temperature Sensor Signal	I	-
6	-	-	-	Not Occupied	-	-

B161LF VERTICAL SUSPENSION ACCELERATION SENSOR - LEFT FRONT (F45)





Connector Part Information


- Harness Type: Body
- OEM Connector: 13510883
- Service Connector: 19356431
- Description: 3-Way F 150 MX Series, Sealed (GY)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-14 (GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	YE/RD	1817	Left Front Wheel Accelerometer 5V Reference	I	F45
2	0.5	BK/BN	1099	Left Front Wheel Damping Accelerometer Low Reference	I	F45
3	0.5	WH	1100	Left Front Wheel Damping Accelerometer Signal	I	F45

B161RF VERTICAL SUSPENSION ACCELERATION SENSOR - RIGHT FRONT





Connector Part Information


- Harness Type: Body
- OEM Connector: 13510883
- Service Connector: 19356431
- Description: 3-Way F 150 MX Series, Sealed (GY)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-14 (GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	BN/RD	1819	Right Front Wheel Accelerometer 5V Reference	I	F45
2	0.5	BK/GN	1105	Right Front Wheel Damping Accelerometer Low Reference	I	F45
3	0.5	WH	1106	Right Front Wheel Damping Accelerometer Signal	I	F45

B174G FRONTVIEW CAMERA - GRILLE (UVH)





Connector Part Information

- Harness Type: Rear Fascia
- OEM Connector: 13591765
- Service Connector: Service by Harness - See Part Catalog
- Description: 8-Way F 0.64 Series, Sealed (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-64B (LT BU)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.35	GN	5060	Low Speed GMLAN Serial Data	I	-
2 - 3	-	-	-	Not Occupied	-	-
4	0.5	BU/WH	3812	High Speed GMLAN Serial Data (+) 5	I	-
5	0.5	BU/YE	3810	High Speed GMLAN Serial Data (-) 5	I	-
6	-	-	-	Not Occupied	-	-
7	0.35	BK/WH	151	Signal Ground	I	-
8	0.35	RD/BN	4940	Battery Positive Voltage	I	-

B218R SIDE OBJECT SENSOR MODULE - RIGHT (UKC)





Connector Part Information

- Harness Type: Rear Fascia
- OEM Connector: 13591766
- Service Connector: Service by Harness - See Part Catalog
- Description: 8-Way F 0.64 Series, Sealed (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-64B (LT BU)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.35	GY	5861	Passenger Side Object Detection LED Signal 1	I	-
2	0.35	GY/YE	5853	Driver Side Object Detection LED Signal 1	I	-
3	-	-	-	Not Occupied	-	-
4	0.5	BU/WH	3812	High Speed GMLAN Serial Data (+) 5	I	-
5	0.5	BU/YE	3810	High Speed GMLAN Serial Data (-) 5	I	-
6	-	-	-	Not Occupied	-	-
7	0.35	BK/WH	151	Signal Ground	I	-
8	0.35	RD/BN	4940	Battery Positive Voltage	I	-

B225L SIDEVIEW CAMERA - LEFT





Connector Part Information

- Harness Type: Outside Rearview Mirror - Driver
- OEM Connector: 13576423
- Service Connector: Service by Harness - See Part Catalog
- Description: 7-Way F Multilock Series (GN)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	Not Available	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0	YE	6972	Camera Signal 2 +	I	-
2 - 3	-	-	-	Not Occupied	-	-
4	0	YE/BK	6973	Camera Signal 2	I	-
5	0	BK/BK	2150	Ground	I	-
6	0	TN/WH	2063	6V Reference	I	-
7	-	-	-	Not Occupied	-	-

B225R SIDEVIEW CAMERA - RIGHT





Connector Part Information

- Harness Type: Outside Rearview Mirror - Passenger
- OEM Connector: 13576423
- Service Connector: Service by Harness - See Part Catalog
- Description: 7-Way F Multilock Series (GN)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	Not Available	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0	GY/YE	6972	Camera Signal 2 +	I	-
2 - 3	-	-	-	Not Occupied	-	-
4	0	YE/BK	6973	Camera Signal 2	I	-
5	0	BK/BK	2150	Ground	I	-
6	0	TN/WH	2063	6V Reference	I	-
7	-	-	-	Not Occupied	-	-

B233B RADAR SENSOR MODULE - LONG RANGE (UGN)





Connector Part Information

- Harness Type: Forward Lamp
- OEM Connector: 13593495
- Service Connector: 19300889
- Description: 12-Way F 1.2 OCS Series, Sealed (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	19300649	J-35616-16 (LT GN)	J-38125-21	Not Available	Not Available	Not Available	Not Available
II	19300649	J-35616-16 (LT GN)	J-38125-553	Not Available	Not Available	Not Available	Not Available

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1 - 5	-	-	-	Not Occupied	-	-
6	0.5	RD/BN	4940	Battery Positive Voltage	II	UGN
7	0.5	BK/WH	3051	Signal Ground	II	UGN
8 - 9	-	-	-	Not Occupied	-	-
10	0.35	WH	3811	High Speed GMLAN Serial Data (-) 4	I	UGN
11	0.35	BU/VT	3813	High Speed GMLAN Serial Data (+) 4	II	UGN
12	0.35	GY/VT	3808	Front Object Sensor Control 2	I	UGN

B280 AUTOMATIC TRANSMISSION ACCUMULATOR SOLENOID VALVE (LFY)





Connector Part Information

- Harness Type: Engine
- OEM Connector: 4-2098641-1
- Service Connector: 19355451
- Description: 2-Way F 1.2 MCP Series, Sealed (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-16 (LT GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	GN/GY	6387	Transmission High Side Driver 1 Signal Driver	I	-
2	0.5	YE/BK	1223	2 Shift Solenoid Valve Control	I	-

B280 AUTOMATIC TRANSMISSION ACCUMULATOR SOLENOID VALVE (LTG)





Connector Part Information


- Harness Type: Engine
- OEM Connector: 2098641-6
- Service Connector: 19368240
- Description: 2-Way F 1.2 MCP Series, Sealed (BK)

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-16 (LT GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	GN/GY	6387	Transmission High Side Driver 1 Signal Driver	I	-
2	0.5	YE/BK	1223	2 Shift Solenoid Valve Control	I	-

B306A PARKING ASSIST SENSOR - FRONT LEFT OUTER



Connector Part Information

- Harness Type: Front Fascia
- OEM Connector: 19115171
- Service Connector: Service by Harness - See Part Catalog
- Description: 3-Way F 0.64 Series, Sealed (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-64B (LT BU)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	YE/VT	5213	Front Parking Left/Right/Mid Sensor	I	UD5
2	0.5	VT/WH	5215	Front Parking Left Corner Sensor	I	UD5
3	0.5	BK/BU	5214	Front Parking Sensor Low Reference	I	UD5

B306B PARKING ASSIST SENSOR - FRONT LEFT MIDDLE





Connector Part Information

- Harness Type: Front Fascia
- OEM Connector: 19115171
- Service Connector: Service by Harness - See Part Catalog
- Description: 3-Way F 0.64 Series, Sealed (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-64B (LT BU)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	YE/VT	5213	Front Parking Left/Right/Mid Sensor	I	UD5
2	0.5	YE/GY	5216	Front Parking Left Mid Sensor	I	UD5
3	0.5	BK/BU	5214	Front Parking Sensor Low Reference	I	UD5

B306C PARKING ASSIST SENSOR - FRONT RIGHT MIDDLE





Connector Part Information


- Harness Type: Front Fascia
- OEM Connector: 19115171
- Service Connector: Service by Harness - See Part Catalog
- Description: 3-Way F 0.64 Series, Sealed (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-64B (LT BU)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	YE/VT	5213	Front Parking Left/Right/Mid Sensor	I	-
2	0.5	VT/GY	5218	Front Parking Right Mid Sensor	I	-
3	0.5	BK/BU	5214	Front Parking Sensor Low Reference	I	-

B306D PARKING ASSIST SENSOR - FRONT RIGHT OUTER





Connector Part Information

- Harness Type: Front Fascia
- OEM Connector: 19115171
- Service Connector: Service by Harness - See Part Catalog
- Description: 3-Way F 0.64 Series, Sealed (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-64B (LT BU)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	YE/VT	5213	Front Parking Left/Right/Mid Sensor	I	UD5
2	0.5	WH/GY	5217	Front Parking Right Corner Sensor	I	UD5
3	0.5	BK/BU	5214	Front Parking Sensor Low Reference	I	UD5

B306E PARKING ASSIST SENSOR - REAR LEFT OUTER





Connector Part Information


- Harness Type: Rear Fascia
- OEM Connector: 19115171
- Service Connector: Service by Harness - See Part Catalog
- Description: 3-Way F 0.64 Series, Sealed (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-64B (LT BU)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	BN/WH	2374	Object Sensor Control	I	-
2	0.5	YE	2375	Left Rear Corner Object Sensor Signal	I	-
3	0.5	BK/GY	2379	Object Sensor Low Reference	I	-

B306F PARKING ASSIST SENSOR - REAR LEFT MIDDLE





Connector Part Information


- Harness Type: Rear Fascia
- OEM Connector: 19115171
- Service Connector: Service by Harness - See Part Catalog
- Description: 3-Way F 0.64 Series, Sealed (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-64B (LT BU)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	BN/WH	2374	Object Sensor Control	I	-
2	0.5	YE/BU	2376	Left Rear Middle Object Sensor Signal	I	-
3	0.5	BK/GY	2379	Object Sensor Low Reference	I	-

B306G PARKING ASSIST SENSOR - REAR RIGHT MIDDLE





Connector Part Information

- Harness Type: Rear Fascia
- OEM Connector: 19115171
- Service Connector: Service by Harness - See Part Catalog
- Description: 3-Way F 0.64 Series, Sealed (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-64B (LT BU)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	BN/WH	2374	Object Sensor Control	I	-
2	0.5	YE/WH	2377	Right Rear Middle Object Sensor Signal	I	-
3	0.5	BK/GY	2379	Object Sensor Low Reference	I	-

B306H PARKING ASSIST SENSOR - REAR RIGHT OUTER

--	--	--	--	--	--	--



Connector Part Information

- Harness Type: Rear Fascia
- OEM Connector: 19115171
- Service Connector: Service by Harness - See Part Catalog
- Description: 3-Way F 0.64 Series, Sealed (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-64B (LT BU)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	BN/WH	2374	Object Sensor Control	I	-
2	0.5	YE/VT	2378	Right Rear Corner Object Sensor Signal	I	-
3	0.5	BK/GY	2379	Object Sensor Low Reference	I	-

B310 FUEL PRESSURE/TEMPERATURE SENSOR

--	--	--	--	--	--	--



Connector Part Information

- Harness Type: Even Fuel Injector
- OEM Connector: 13503573
- Service Connector: Service by Harness - See Part Catalog
- Description: 3-Way F 1.2 Multilock Series, Sealed (BK)



Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	Not Available	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	BK/GN	2919	Fuel Rail Pressure Sensor Low Reference	I	-
2	0.5	BU/WH	2918	Fuel Rail Pressure Sensor Signal	I	-
3	0.5	BN/RD	2917	Fuel Rail Pressure Sensor 5V Reference	I	-

B315A TRANSMISSION RANGE CONTROL VALVE 1 POSITION SWITCH (M3W)





Connector Part Information

- Harness Type: Transmission
- OEM Connector: 2289523-1
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 1.2 MCON Series (BN)



Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-16 (LT GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	BN	3706	ETRS Switch Analog Signal 1	I	-
2	0.5	WH/BK	4171	Transmission Position Sensor A 9V Reference	I	-

B315B TRANSMISSION RANGE CONTROL VALVE 2 POSITION SWITCH (M3W)





Connector Part Information

- Harness Type: Transmission
- OEM Connector: 2289523-1
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 1.2 MCON Series (BN)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-16 (LT GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	YE/BU	3705	ETRS Switch Analog Signal 2	I	-
2	0.5	WH/BK	4171	Transmission Position Sensor A 9V Reference	I	-

B316 TRANSMISSION PARK VALVE POSITION SWITCH (M3W)





Connector Part Information

- Harness Type: Transmission
- OEM Connector: 13514144
- Service Connector: Service by Harness - See Part Catalog
- Description: 4-Way F 1.2 MCON Series (BN)

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-16 (LT GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required


Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	YE/GN	4170	Transmission Position Sensor B 9V Reference	I	-
2	0.5	WH/YE	6319	ETRS Out of Park Switch 2 Signal	I	-
3	0.5	VT/YE	6317	ETRS Out of Park Switch Signal	I	-
4	-	-	-	Not Occupied	-	-

C3 TELEMATICS COMMUNICATION INTERFACE CONTROL MODULE BATTERY



A

B



Connector Part Information


- Harness Type: Instrument Panel
- OEM Connector: 12047662
- Service Connector: 12085535
- Description: 2-Way F 150 Metri-Pack Series (BK)

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-14 (GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
A	0.35	YE/VT	5235	Battery Backup Control	I	UE1
B	0.35	BK/VT	5167	Battery Backup Low Reference	I	UE1

E1D ACCENT LAMP - DRIVER DOOR (W49)



Connector Part Information

- Harness Type: Driver Door Trim
- OEM Connector: 13588640
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 1.2 Series (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-16 (LT GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.35	BK	750	Ground	I	W49
2	0.35	WH/YE	7557	LED Ambient Lighting Control 1	I	W49

E1GA ACCENT LAMP - LEFT MIDDLE INSTRUMENT PANEL





Connector Part Information


- Harness Type: Instrument Panel
- OEM Connector: 19179871
- Service Connector: 13580951
- Description: 2-Way F 1.6 Timer Series (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-14 (GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.35	WH/YE	7557	LED Ambient Lighting Control 1	I	-
2	0.5	BK	1650	Ground	I	-

E1P ACCENT LAMP - PASSENGER DOOR (W49)





Connector Part Information

- Harness Type: Passenger Door Trim
- OEM Connector: 13588640
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 1.2 Series (BK)



Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-16 (LT GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.35	BK	650	Ground	I	W49
2	0.35	WH/YE	7557	LED Ambient Lighting Control 1	I	W49

E2LF SIDE MARKER LAMP - LEFT FRONT (W49)





Connector Part Information

- Harness Type: Front Fascia
- OEM Connector: 13583151
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 150 MX Series, Sealed (BK)



Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-2A (GY)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.75	BK	150	Ground	I	-
2	0.75	VT/GY	709	Left Park Lamp Control	I	-

E2LF SIDE MARKER LAMP - LEFT FRONT (X88)





Connector Part Information

- Harness Type: Forward Lamp
- OEM Connector: 34062-0027
- Service Connector: 19367569
- Description: 2-Way F 1.5 Series, Sealed (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-14 (GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	BK	150	Ground	I	-
2	0.5	VT/GY	709	Left Park Lamp Control	I	-

E2RF SIDE MARKER LAMP - RIGHT FRONT (W49)





Connector Part Information

- Harness Type: Front Fascia
- OEM Connector: 13583151
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 150 MX Series, Sealed (BK)



Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-2A (GY)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.75	BK	250	Ground	I	-
2	0.75	GY/BN	309	Right Park Lamp Control	I	-

E2RF SIDE MARKER LAMP - RIGHT FRONT (X88)





Connector Part Information


- Harness Type: Forward Lamp
- OEM Connector: 34062-0027
- Service Connector: 19367569
- Description: 2-Way F 1.5 Series, Sealed (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-14 (GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	BK	2050	Ground	I	-
2	0.5	GY/BN	309	Right Park Lamp Control	I	-

E4LF TURN SIGNAL LAMP - LEFT FRONT (W49)





Connector Part Information


- Harness Type: Front Fascia
- OEM Connector: 13594670
- Service Connector: Service by Harness - See Part Catalog
- Description: 3-Way F 1.2 MCP Series, Sealed (BN)



Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-16 (LT GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	BK	150	Ground	I	-
2	-	-	-	Not Occupied	-	-
3	0.5	BU/WH	1314	Left Front Turn Signal Lamp Control	I	-

E4LF TURN SIGNAL LAMP - LEFT FRONT (X88)





Connector Part Information


- Harness Type: Forward Lamp
- OEM Connector: 13628677
- Service Connector: 19257924
- Description: 3-Way F 1.5 Series, Sealed (GN)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-14 (GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	1	BK	150	Ground	I	-
2	-	-	-	Not Occupied	-	-
3	0.5	BU/WH	1314	Left Front Turn Signal Lamp Control	I	-

E4RF TURN SIGNAL LAMP - RIGHT FRONT (W49)





Connector Part Information


- Harness Type: Front Fascia
- OEM Connector: 13594670
- Service Connector: Service by Harness - See Part Catalog
- Description: 3-Way F 1.2 MCP Series, Sealed (BN)



Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-16 (LT GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	BK	250	Ground	I	-
2	-	-	-	Not Occupied	-	-
3	0.5	GN/VT	1315	Right Front Turn Signal Lamp Control	I	-

E4RF TURN SIGNAL LAMP - RIGHT FRONT (X88)





Connector Part Information


- Harness Type: Forward Lamp
- OEM Connector: 13628677
- Service Connector: 19257924
- Description: 3-Way F 1.5 Series, Sealed (GN)

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-14 (GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	1	BK	250	Ground	I	-
2	-	-	-	Not Occupied	-	-
3	0.5	GN/VT	1315	Right Front Turn Signal Lamp Control	I	-

E5AK TAIL LAMP - LEFT OUTER (W49)



Connector Part Information

- Harness Type: Body
- OEM Connector: 33472-4006
- Service Connector: 19366645
- Description: 4-Way F 150 MX Series, Sealed (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-2A (GY)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	YE/BU	18	Left Rear Stop/Turn Lamp Control	I	-
2	0.35	VT/GY	709	Left Park Lamp Control	I	-
3	0.35	WH/VT	6567	Rear Turn Lamp Feedback Signal	I	-
4	0.5	BK	1350	Ground	I	-

E5AK TAIL LAMP - LEFT OUTER (X88+CZ3)





Connector Part Information

- Harness Type: Body
- OEM Connector: 33472-0671
- Service Connector: 19366644
- Description: 6-Way F 150 MX Series, Sealed (GY)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-2A (GY)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	-	-	-	Not Occupied	-	-
2	0.35	WH/VT	6567	Rear Turn Lamp Feedback Signal	I	-
3	0.75	BU/WH	1334	Left Rear Turn Signal Lamp Control	I	-
4	0.5	YE/BU	18	Left Rear Stop/Turn Lamp Control	I	-
5	0.35	VT/GY	709	Left Park Lamp Control	I	-
6	0.5	BK	1350	Ground	I	-

E5AK TAIL LAMP - LEFT OUTER (X88-CZ3)

--



Connector Part Information

- Harness Type: Body
- OEM Connector: 33472-0606
- Service Connector: 13578533
- Description: 6-Way F 150 MX Series, Sealed (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-2A (GY)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1 - 2	-	-	-	Not Occupied	-	-
3	0.35	WH/VT	6567	Rear Turn Lamp Feedback Signal	I	-
4	0.5	YE/BU	18	Left Rear Stop/Turn Lamp Control	I	-
5	0.35	VT/GY	709	Left Park Lamp Control	I	-
6	0.5	BK	1350	Ground	I	-

E5AL TAIL LAMP - RIGHT OUTER (W49)





Connector Part Information

- Harness Type: Body
- OEM Connector: 33472-4006
- Service Connector: 19366645
- Description: 4-Way F 150 MX Series, Sealed (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-2A (GY)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	BN/GN	19	Right Rear Stop/Turn Lamp Control	I	-
2	0.35	GY/BN	309	Right Park Lamp Control	I	-
3	0.35	WH/BK	7544	Right Rear Turn Lamp Feedback Signal	I	-
4	0.35	BK/WH	151	Signal Ground	I	-

E5AL TAIL LAMP - RIGHT OUTER (X88+CZ3)





Connector Part Information

- Harness Type: Body
- OEM Connector: 33472-0671
- Service Connector: 19366644
- Description: 6-Way F 150 MX Series, Sealed (GY)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-2A (GY)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	-	-	-	Not Occupied	-	-
2	0.35	WH/BK	7544	Right Rear Turn Lamp Feedback Signal	I	-
3	0.75	BU/VT	1335	Right Rear Turn Signal Lamp Control	I	-
4	0.5	BN/GN	19	Right Rear Stop/Turn Lamp Control	I	-
5	0.35	GY/BN	309	Right Park Lamp Control	I	-
6	0.35	BK/WH	151	Signal Ground	I	-

E5AL TAIL LAMP - RIGHT OUTER (X88-CZ3)





Connector Part Information

- Harness Type: Body
- OEM Connector: 33472-0606
- Service Connector: 13578533
- Description: 6-Way F 150 MX Series, Sealed (BK)



Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-2A (GY)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1 - 2	-	-	-	Not Occupied	-	-
3	0.35	WH/BK	7544	Right Rear Turn Lamp Feedback Signal	I	-
4	0.5	BN/GN	19	Right Rear Stop/Turn Lamp Control	I	-
5	0.35	GY/BN	309	Right Park Lamp Control	I	-
6	0.35	BK/WH	151	Signal Ground	I	-

E5G TAIL LAMP - LEFT INNER (W49)





Connector Part Information

- Harness Type: Liftgate
- OEM Connector: 7282-3440-40
- Service Connector: Service by Harness - See Part Catalog
- Description: 3-Way M 1.5 YESC Kaizen Series (L-GY)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-3 (GY)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	VT/GY	709	Left Park Lamp Control	I	-
2	0.5	GN/WH	24	Backup Lamp Control	I	-
3	0.5	BK	1350	Ground	I	-

E5G TAIL LAMP - LEFT INNER (X88)





Connector Part Information

- Harness Type: Liftgate
- OEM Connector: 6098-8435
- Service Connector: Service by Harness - See Part Catalog
- Description: 4-Way F 1.2 Series (BK)



Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-16 (LT GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	BK	1350	Ground	I	-
2	0.5	VT/GY	709	Left Park Lamp Control	I	-
3	0.5	GN/WH	24	Backup Lamp Control	I	-
4	-	-	-	Not Occupied	-	-

E5H TAIL LAMP - RIGHT INNER (W49)





Connector Part Information

- Harness Type: Liftgate
- OEM Connector: 7282-3440-40
- Service Connector: Service by Harness - See Part Catalog
- Description: 3-Way M 1.5 YESC Kaizen Series (L-GY)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-3 (GY)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	GY/BN	309	Right Park Lamp Control	I	-
2	0.5	GN/WH	24	Backup Lamp Control	I	-
3	0.5	BK	1250	Ground	I	-

E5H TAIL LAMP - RIGHT INNER (X88)





Connector Part Information

- Harness Type: Liftgate
- OEM Connector: 6098-8435
- Service Connector: Service by Harness - See Part Catalog
- Description: 4-Way F 1.2 Series (BK)



Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-16 (LT GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	BK/WH	151	Signal Ground	I	-
2	0.5	GY/BN	309	Right Park Lamp Control	I	-
3	0.5	GN/WH	24	Backup Lamp Control	I	-
4	-	-	-	Not Occupied	-	-

E6 CENTER HIGH MOUNTED STOP LAMP





Connector Part Information

- Harness Type: Liftgate Extension
- OEM Connector: 1-2296694-1
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 1.2 MCON Series, Sealed (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-16 (LT GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	BK	1350	Ground	I	-
2	0.5	VT/WH	5065	Stop Lamp Relay Coil Control	I	-

E7L LICENSE PLATE LAMP - LEFT (DRZ)





Connector Part Information

- Harness Type: License Lamp
- OEM Connector: 13586143
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 1.2 MCP Series, Sealed (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-16 (LT GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.35	GN/YE	6846	Rear License Lamp Control	I	-
2	0.35	BK	1350	Ground	I	-

E7L LICENSE PLATE LAMP - LEFT (-DRZ)





Connector Part Information


- Harness Type: License Lamp
- OEM Connector: 13698133
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F Lamp Socket Wedge Base, Sealed (BK)

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	No Tool Required	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	BK	1350	Ground	I	-
2	0.5	GN/YE	6846	Rear License Lamp Control	I	-

E7R LICENSE PLATE LAMP - RIGHT (DRZ)



Connector Part Information

- Harness Type: License Lamp
- OEM Connector: 13586143
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 1.2 MCP Series, Sealed (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-16 (LT GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.35	GN/YE	6846	Rear License Lamp Control	I	-
2	0.35	BK	1350	Ground	I	-

E7R LICENSE PLATE LAMP - RIGHT (-DRZ)





Connector Part Information

- Harness Type: License Lamp
- OEM Connector: 13698133
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F Lamp Socket Wedge Base, Sealed (BK)

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	No Tool Required	No Tool Required	Not Required	Not Required	Not Required	Not Required



Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	BK	1350	Ground	I	-
2	0.5	GN/YE	6846	Rear License Lamp Control	I	-

E8D DOOR COURTESY LAMP - DRIVER (W49)



3

1



Connector Part Information


- Harness Type: Driver Door Trim
- OEM Connector: 1452142-1
- Service Connector: Service by Harness - See Part Catalog
- Description: 3-Way F 1.6 Micro-Timer Series (BK)



Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-14 (GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	GY	157	Interior Lamp Control	I	W49
2	0.5	BK	750	Ground	I	W49
3	-	-	-	Not Occupied	-	-

E8D DOOR COURTESY LAMP - DRIVER (X88)





Connector Part Information


- Harness Type: Driver Door Trim
- OEM Connector: 6098-5510
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 1.5 Series (BK)

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-14 (GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required



Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	GY	157	Interior Lamp Control	I	-
2	0.5	BK	750	Ground	I	-

E8P DOOR COURTESY LAMP - PASSENGER (W49)



3

1



Connector Part Information


- Harness Type: Passenger Door Trim
- OEM Connector: 1452142-1
- Service Connector: Service by Harness - See Part Catalog
- Description: 3-Way F 1.6 Micro-Timer Series (BK)



Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-14 (GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	GY	157	Interior Lamp Control	I	-
2	0.5	BK	650	Ground	I	-
3	-	-	-	Not Occupied	-	-

E8P DOOR COURTESY LAMP - PASSENGER (X88)





Connector Part Information


- Harness Type: Passenger Door Trim
- OEM Connector: 6098-5510
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 1.5 Series (BK)



Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-14 (GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	GY	157	Interior Lamp Control	I	-
2	0.5	BK	650	Ground	I	-

E14A SEAT HEATING ELEMENT - DRIVER BACK (KA1)





Connector Part Information

- Harness Type: Driver Seat
- OEM Connector: 13595573
- Service Connector: Service by Harness - See Part Catalog
- Description: 4-Way M 1.2 Series (GY)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	No Tool Required	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.75	BN/VT	2077	Driver Heated Seat Element Control	I	-
2	0.35	BU	2425	Driver Heated Back NTC Signal	I	-
3	0.5	BK/YE	2080	Driver Heated Seat NTC Low Reference	I	-
4	0.75	BN/BK	2078	Driver Heated Seat Element Low Reference	I	-

E14B SEAT HEATING ELEMENT - DRIVER CUSHION (KA1)





Connector Part Information

- Harness Type: Driver Seat
- OEM Connector: 13595572
- Service Connector: Service by Harness - See Part Catalog
- Description: 4-Way M 1.2 Series (BK)



Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	No Tool Required	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.75	BN/VT	2077	Driver Heated Seat Element Control	I	-
2	0.35	YE/GY	2079	Driver Heated Seat NTC Signal	I	-
3	0.5	BK/YE	2080	Driver Heated Seat NTC Low Reference	I	-
4	0.75	BN/BK	2078	Driver Heated Seat Element Low Reference	I	-

E14C SEAT HEATING ELEMENT - PASSENGER BACK (KA1)





Connector Part Information

- Harness Type: Passenger Seat
- OEM Connector: 13595573
- Service Connector: Service by Harness - See Part Catalog
- Description: 4-Way M 1.2 Series (GY)



Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	No Tool Required	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	BN/BU	2479	Passenger Heated Seat Element Control	I	-
2	0.35	WH/BU	2436	Passenger Heated Back NTC Signal	I	-
3	0.35	BK/GN	2482	Passenger Heated Back NTC Low Reference	I	-
4	0.5	GY/BK	2480	Passenger Heated Seat Element Low Reference	I	-

E14D SEAT HEATING ELEMENT - PASSENGER CUSHION (KA1)





Connector Part Information

- Harness Type: Passenger Seat
- OEM Connector: 13595572
- Service Connector: Service by Harness - See Part Catalog
- Description: 4-Way M 1.2 Series (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	No Tool Required	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	BN/BU	2479	Passenger Heated Seat Element Control	I	-
2	0.35	WH/GY	2434	Passenger Heated Seat NTC Signal	I	-
3	0.35	BK/GY	2435	Passenger Heated Seat NTC Low Reference	I	-
4	0.5	GY/BK	2480	Passenger Heated Seat Element Low Reference	I	-

E14F SEAT HEATING ELEMENT - LEFT REAR CUSHION (KA6)





Connector Part Information

- Harness Type: Left Rear Seat
- OEM Connector: 13595572
- Service Connector: Service by Harness - See Part Catalog
- Description: 4-Way M 1.2 Series (BK)



Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	No Tool Required	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.75	BU/BK	2446	Left Rear Heated Seat Element Low Reference	I	-
2	0.35	GY	7663	Left Rear Heated Seat NTC Signal	I	-
3	0.35	VT/RD	7662	Left Rear Heated Seat NTC Low Reference	I	-
4	0.75	BU/BN	2445	Left Rear Heated Seat Element Control	I	-

E14H SEAT HEATING ELEMENT - RIGHT REAR CUSHION (KA6)





Connector Part Information

- Harness Type: Right Rear Seat
- OEM Connector: 13595572
- Service Connector: Service by Harness - See Part Catalog
- Description: 4-Way M 1.2 Series (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	No Tool Required	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.75	GN/BN	2296	Right Rear Heated Seat Cushion Element Control	I	-
2	0.5	YE/WH	7053	Right Rear Cushion NTC Signal	I	-
3	0.5	WH/BK	7054	Right Rear Cushion NTC Low Reference	I	-
4	0.75	GN/BK	2457	Right Rear Heated Seat Element Low Reference	I	-

E15 STEERING WHEEL HEATER





Connector Part Information

- Harness Type: Steering Wheel Heater
- OEM Connector: 31072-1010
- Service Connector: Service by Harness - See Part Catalog
- Description: 5-Way F 31072 Series (BK)

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	Not Available	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	-	-	-	Not Occupied	-	-
2	0	BK	1350	Ground	I	-
3	-	-	-	Not Occupied	-	-
4	0	BK	1350	Ground	I	-
5	-	-	-	Not Occupied	-	-

E17D OUTSIDE REARVIEW MIRROR GLASS - DRIVER X1

Connector Part Information

- Harness Type: Outside Rearview Mirror - Driver
- OEM Connector: Not Available
- Service Connector: Service by Harness - See Part Catalog
- Description: 4-Way

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
------------------	-----------------	-----------------------	-----------------------	------------------	-----------	------------	------------------

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	No Tool Required	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
A	0.35	BK/YE	2267	Mirror Heating Element Control	I	-

E17D OUTSIDE REARVIEW MIRROR GLASS - DRIVER X2

- Connector Part Information • Harness Type: Outside Rearview Mirror - Driver • OEM Connector: Not Available • Service Connector: Service by Harness - See Part Catalog • Description: 4-Way						
---	--	--	--	--	--	--

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	No Tool Required	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
A	0.35	BK	750	Ground	I	-

E17D OUTSIDE REARVIEW MIRROR GLASS - DRIVER X4

- Connector Part Information • Harness Type: Outside Rearview Mirror - Driver • OEM Connector: Not Available • Service Connector: Service by Harness - See Part Catalog • Description: 4-Way						
---	--	--	--	--	--	--

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	Not Available	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0	BK/RD	1690	Automatic Day/Night Mirror Signal	I	-
2	0	BK/GN	1691	Automatic Day/Night Mirror Low Reference	I	-

E17P OUTSIDE REARVIEW MIRROR GLASS - PASSENGER X1

Connector Part Information

- Harness Type: Outside Rearview Mirror - Passenger
- OEM Connector: Not Available
- Service Connector: Service by Harness - See Part Catalog
- Description: 4-Way

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	No Tool Required	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
A	0.35	BK/YE	2267	Mirror Heating Element Control	I	-

E17P OUTSIDE REARVIEW MIRROR GLASS - PASSENGER X2

Connector Part Information

- Harness Type: Outside Rearview Mirror - Passenger
- OEM Connector: Not Available
- Service Connector: Service by Harness - See Part Catalog
- Description: 4-Way

Terminal Part Information



Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	No Tool Required	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
A	0.35	BK	650	Ground	I	-

E18 REAR DEFOGGER GRID X1

--

1



Connector Part Information

- Harness Type: Liftgate
- OEM Connector: 13585268
- Service Connector: Service by Harness - See Part Catalog
- Description: 1-Way F 250 Series (BK)


Terminal Part Information


Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-18 (BK)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	3	BN/VT	293	Rear Defog Element Control	I	-

E18 REAR DEFOGGER GRID X2







Connector Part Information



- Harness Type: Liftgate
- OEM Connector: 13585268
- Service Connector: Service by Harness - See Part Catalog
- Description: 1-Way F 250 Series (BK)

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-18 (BK)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	3	BK	1350	Ground	I	-

E28 CENTER CONSOLE COMPARTMENT LAMP (X88)



Connector Part Information


- Harness Type: Floor Console
- OEM Connector: 19115613
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 1.5 Series (BK)

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-14 (GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required



Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.35	WH/BN	6815	Inadvertent Power Control	I	-
2	0.35	BK	1650	Ground	I	X88

E28 CENTER CONSOLE COMPARTMENT LAMP (W49)



3

1



Connector Part Information

- Harness Type: Floor Console
- OEM Connector: 24427883
- Service Connector: Service by Harness - See Part Catalog
- Description: 3-Way F 1.6 Micro-Timer Series (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-14 (GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.35	GY	157	Interior Lamp Control	I	-
2	0.5	BK	1650	Ground	I	-
3	0.35	WH/YE	7557	LED Ambient Lighting Control 1	I	-

E29LF FOG LAMP - LEFT FRONT (T3U)





Connector Part Information

- Harness Type: Front Fascia
- OEM Connector: F750200
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 1.5 GTSeries, Sealed (WH)



Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-14 (GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	1.5	BN/VT	2234	Front Fog Lamp Control	I	-
2	1.5	BK	150	Ground	I	-

E29R FOG LAMP - REAR





Connector Part Information

- Harness Type: Rear Fascia
- OEM Connector: 13512365
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 1.2 MCON Series, Sealed (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-16 (LT GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.75	BK	1350	Ground	I	T79
2	0.75	YE/GY	122	Rear Fog Lamp Control	I	T79

E29RF FOG LAMP - RIGHT FRONT (T3U)





Connector Part Information

- Harness Type: Front Fascia
- OEM Connector: F750200
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 1.5 GTSeries, Sealed (WH)

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-14 (GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	1.5	BN/VT	2234	Front Fog Lamp Control	I	-
2	1.5	BK	150	Ground	I	-

E33 CARGO LAMP






- Harness Type: Liftgate
- OEM Connector: 19179871
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 1.6 Timer Series (BK)

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-14 (GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.35	GY/WH	149	Courtesy Lamp Control	I	-
2	0.35	BK	1350	Ground	I	-

E37M DOME/READING LAMPS - MIDDLE



Connector Part Information


- Harness Type: Headliner
- OEM Connector: 1-936119-1
- Service Connector: 13587297
- Description: 4-Way F 0.64 Micro-Quadlock Series (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-64B (LT BU)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.35	RD/BU	3940	Battery Positive Voltage	I	-
2	0.35	GY	157	Interior Lamp Control	I	-
3	0.35	BK	1750	Ground	I	-
4	0.35	WH/BN	6815	Inadvertent Power Control	I	-

E37R DOME/READING LAMPS - REAR





Connector Part Information


- Harness Type: Headliner
- OEM Connector: 1-936119-1
- Service Connector: 13587297
- Description: 4-Way F 0.64 Micro-Quadlock Series (BK)

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-64B (LT BU)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.35	RD/BU	3940	Battery Positive Voltage	I	-
2	0.35	GY	157	Interior Lamp Control	I	-
3	0.35	BK	1750	Ground	I	-
4	0.35	WH/BN	6815	Inadvertent Power Control	I	-

E40 ELECTRICAL AUXILIARY HEATER X1 (C32)



Connector Part Information

- Harness Type: Instrument Panel
- OEM Connector: 13216377
- Service Connector: 13584096
- Description: 4-Way F 0.64 Micro-Quadlock Series (BK)



Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-64B (LT BU)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.35	VT	3195	Auxiliary Heater Control	I	-
2	0.35	VT/GY	1039	Run/Crank Ignition 1 Voltage	I	-
3 - 4	-	-	-	Not Occupied	-	-

E40 ELECTRICAL AUXILIARY HEATER X2 (C32)

--	--	--	--	--	--	--



Connector Part Information

- Harness Type: Instrument Panel
- OEM Connector: C380-G01-041-E1
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 3.6 Radsok Series (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-4A (PU)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	10	RD/WH	1040	Battery Positive Voltage	I	C32
2	10	BK	1650	Ground	I	C32

E55D FLOOD LAMP - DRIVER DOOR POCKET (1LZ/2LZ)





Connector Part Information

- Harness Type: Driver Door Trim
- OEM Connector: 1563189-1
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 1.6 Timer Series (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-14 (GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.35	WH/YE	7557	LED Ambient Lighting Control 1	I	-
2	0.35	BK	750	Ground	I	-

E55P FLOOD LAMP - PASSENGER DOOR POCKET (1LZ/2LZ)





Connector Part Information

- Harness Type: Passenger Door Trim
- OEM Connector: 19179871
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 1.6 Timer Series (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-14 (GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.35	WH/YE	7557	LED Ambient Lighting Control 1	I	-
2	0.35	BK	650	Ground	I	-

E63D FLOOD LAMP - DRIVER DOOR HANDLE





Connector Part Information

- Harness Type: Driver Door Trim
- OEM Connector: 19179871
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 1.6 Timer Series (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-14 (GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.35	WH/YE	7557	LED Ambient Lighting Control 1	I	-
2	0.35	BK	750	Ground	I	-

E63P FLOOD LAMP - PASSENGER DOOR HANDLE





Connector Part Information

- Harness Type: Passenger Door Trim
- OEM Connector: 19179871
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 1.6 Timer Series (BK)



Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-14 (GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.35	WH/YE	7557	LED Ambient Lighting Control 1	I	-
2	0.35	BK	650	Ground	I	-

E72 HANDS-FREE LIFTGATE SENSOR LAMP (TC2)





Connector Part Information

- Harness Type: Rear Fascia
- OEM Connector: 13512365
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 1.2 MCON Series, Sealed (BK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-16 (LT GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.35	GY	2066	Handsfree Projection Lamp Control	I	-
2	0.35	BK	1350	Ground	I	-

F101 PASSENGER INSTRUMENT PANEL AIR BAG X1





Connector Part Information


- Harness Type: Passenger Instrument Panel Air Bag
- OEM Connector: 13596550
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 1.0 MAC Series (PK with YE Cover)



Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	No Tool Required	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	OG/WH	3024	Passenger IP Module Stage 1 Low Control	I	-
2	0.5	YE/OG	3025	Passenger IP Module Stage 1 High Control	I	-

F101 PASSENGER INSTRUMENT PANEL AIR BAG X2





Connector Part Information

- Harness Type: Passenger Instrument Panel Air Bag
- OEM Connector: 13596551
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 1.0 MAC Series (PU with YE Cover)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	No Tool Required	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	VT/VT	3026	Passenger IP Module Stage 2 Low Control	I	-
2	0.5	GY/OG	3027	Passenger IP Module Stage 2 High Control	I	-

F105L ROOF RAIL AIR BAG - LEFT





Connector Part Information


- Harness Type: Body
- OEM Connector: 13580144
- Service Connector: 19368724
- Description: 2-Way F 1.2 MCP Series, Sealed (YE)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-16 (LT GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	OG/GN	5019	Left Front Head Curtain Module High Control	I	-
2	0.5	VT/OG	5020	Left Front Head Curtain Module Low Control	I	-

F105R ROOF RAIL AIR BAG - RIGHT





Connector Part Information


- Harness Type: Driver Seat
- OEM Connector: 13599239
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 1.0 Series (PK)



Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	Not Available	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	OG/BU	3068	Driver Side Impact Module High Control	I	-
2	0.5	BK/OG	3069	Driver Side Impact Module Low Control	I	-

F106DA SEAT SIDE AIR BAG - DRIVER INBOARD





Connector Part Information

- Harness Type: Driver Seat
- OEM Connector: 13598469
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 1.0 Series


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	Not Available	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	OG/BN	4207	Driver Inboard Side Impact Module High Control	I	-
2	0.5	GY/OG	4208	Driver Inboard Side Impact Module Low Control	I	-

F106P SEAT SIDE AIR BAG - PASSENGER





Connector Part Information


- Harness Type: Passenger Seat
- OEM Connector: 13599239
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 1.0 Series (PK)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	Not Available	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	OG/GY	3066	Passenger Side Impact Module High Control	I	-
2	0.5	BU/OG	3067	Passenger Side Impact Module Low Control	I	-

F107 STEERING WHEEL AIR BAG X1





Connector Part Information

- Harness Type: Steering Wheel
- OEM Connector: 33345777
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F ABX-5 Series (PK with YE Cover)



Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	No Tool Required	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	BN	3020	Steering Wheel Module Stage 1 Low Control	I	W49
	0.5	TN	3021	Steering Wheel Module Stage 1 High Control	I	X88
2	0.5	OG	3021	Steering Wheel Module Stage 1 High Control	I	W49
	0.5	BN	3020	Steering Wheel Module Stage 1 Low Control	I	X88

F107 STEERING WHEEL AIR BAG X2





Connector Part Information


- Harness Type: Steering Wheel
- OEM Connector: 33345778
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F ABX-5 Series (PU with YE Cover)



Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	No Tool Required	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	VT	3023	Steering Wheel Module Stage 2 High Control	I	W49
	0.5	WH	3023	Steering Wheel Module Stage 2 High Control	I	X88
2	0.5	WH	3022	Steering Wheel Module Stage 2 Low Control	I	W49
	0.5	PK	3022	Steering Wheel Module Stage 2 Low Control	I	X88

F112D SEAT BELT RETRACTOR PRETENSIONER - DRIVER (X88)





Connector Part Information

- Harness Type: Body
- OEM Connector: 33345778
- Service Connector: 19355490
- Description: 2-Way F ABX-5 Series (PU with YE Cover)



Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-64B (LT BU)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	OG/WH	3477	Driver Seat Belt Retractor Pretensioner High Control	I	-
2	0.5	GY/OG	3478	Driver Seat Belt Retractor Pretensioner Low Control	I	-

F112D SEAT BELT RETRACTOR PRETENSIONER - DRIVER (W49)





Connector Part Information

- Harness Type: Body
- OEM Connector: 33154433
- Service Connector: 19355490
- Description: 2-Way F 1.0 MAC Series (PU with YE Cover)



Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-64B (LT BU)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	OG/WH	3477	Driver Seat Belt Retractor Pretensioner High Control	I	-
2	0.5	GY/OG	3478	Driver Seat Belt Retractor Pretensioner Low Control	I	-

F112P SEAT BELT RETRACTOR PRETENSIONER - PASSENGER (X88)





Connector Part Information

- Harness Type: Body
- OEM Connector: 33345778
- Service Connector: 19355490
- Description: 2-Way F ABX-5 Series (PU with YE Cover)



Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-64B (LT BU)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	OG/GN	3475	Passenger Seat Belt Retractor Pretensioner High Control	I	-
2	0.5	WH/OG	3476	Passenger Seat Belt Retractor Pretensioner Low Control	I	-

F112P SEAT BELT RETRACTOR PRETENSIONER - PASSENGER (W49)





Connector Part Information

- Harness Type: Body
- OEM Connector: 33154433
- Service Connector: 19355490
- Description: 2-Way F 1.0 MAC Series (PU with YE Cover)



Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-64B (LT BU)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	OG/GN	3475	Passenger Seat Belt Retractor Pretensioner High Control	I	-
2	0.5	WH/OG	3476	Passenger Seat Belt Retractor Pretensioner Low Control	I	-

F113D SEAT BELT ANCHOR PRETENSIONER - DRIVER





Connector Part Information

- Harness Type: Driver Seat
- OEM Connector: 13598468
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 1.0 Series



Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	Not Available	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	OG/YE	3481	Driver Seat Belt Anchor Pretensioner High Control	I	-
2	0.5	VT/OG	3482	Driver Seat Belt Anchor Pretensioner Low Control	I	-

F113P SEAT BELT ANCHOR PRETENSIONER - PASSENGER





Connector Part Information

- Harness Type: Passenger Seat
- OEM Connector: 13598468
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F 1.0 Series


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	Not Available	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	OG/BN	3479	Passenger Seat Belt Anchor Pretensioner High Control	I	-
2	0.5	GY/OG	3480	Passenger Seat Belt Anchor Pretensioner Low Control	I	-

G10 COOLING FAN MOTOR





Connector Part Information

- Harness Type: Engine
- OEM Connector: 19181808
- Service Connector: Service by Harness - See Part Catalog
- Description: 4-Way F 1.5, 9.5 Series, Sealed (D-GY)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-14 (GN)	No Tool Required	Not Required	Not Required	Not Required	Not Required
II	Not Required	J-35616-42 (RD)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	10	RD/GN	242	Battery Positive Voltage	II	LFY
2	10	BK	450	Ground	II	LFY
3	-	-	-	Not Occupied	-	-
4	0.5	WH	2368	Cooling Fan Control Signal	I	-

G13 GENERATOR X1 (LFY)





Connector Part Information

- Harness Type: Engine
- OEM Connector: 12186308
- Service Connector: 13585849
- Description: 2-Way F Junior Power Timer Series, Sealed (BK)

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray Name	Core Crimp	Insulation Crimp
I	Not Required	J-35616-35 (VT)	No Tool Required	Not Required	Not Required	Not Required	Not Required

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	BN	25	Charge Indicator Control	I	-
2	0.5	GY	23	Generator Field Duty Cycle Signal	I	-