

- A00001 - F99999

VC Label Locator



MFD. BY FORD MOTOR CO. IN U.S.A.

DATE: XX/XX		GVWR: XXXXXXXXXX	
FRONT GAWR: XXXXXX		REAR GAWR: XXXXXXXX	
XXXXXXX	WITH	XXXXXXX	WITH
XXXXXXXXXX	TIRES	XXXXXXXXXX	TIRES
XXXXXXX	RIMS	XXXXXXX	RIMS
AT XXXX kPa/XXX	PSI COLD	AT XXXX kPa/XXX	PSI COLD

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR
VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF
MANUFACTURE SHOWN ABOVE.

VIN: XXXXXXXXXXXXXXXX
 TYPE: XXXXXXXXXX

EXT PNT: XXXXXX XXXXXX				RC: XX		DSO: XXXX	
WB XXX	INT TR XX	TP/PS XXX	R X	AXLE XX	TR X	SPR XXXXX	XXXXX XXXXX
UTC				▽ FB B-1620472-AE			

Item	Description

Item	Description
1	Exterior paint code
2	Region code
3	DSO (District Special Order) code
4	Wheelbase code
5	Interior trim code
6	Tape/paint stripe code
7	Radio code
8	Axle code
9	Transmission code
10	Spring code
11	Powertrain calibration information

Paint Code

Paint codes may be listed as a 2-part code. The first set of paint code numbers/letters indicate the vehicle primary body color. The second set of letters/numbers (if applicable) indicate a 2-tone or accent body color. All paint codes are a base coat/clear coat finish.

- AZ - Star White/Pristine White
- B3 - Atlas Blue
- D4 - Rapid Red
- D9 - Dark Persian Green
- FM - Performance Blue
- G6 - Desert Gold
- J7 - Magnetic
- JS - Iconic Silver
- R3 - Burgundy Velvet Metallic
- UM - Agate Black Metallic
- YZ - Oxford White
- ZX- Chroma Couture

Wheelbase

The following identifies the vehicle wheelbase:

- 112 - 2, 845 mm (112.2 in) wheelbase

Interior Trim Codes

Interior trim codes are listed as a 2-part code. The first digit listed indicates the seat and fabric style. The second digit listed indicates the interior trim color.

Interior Trim Type

- 2 - Cloth seats solitude
- 3 - Cloth seats (539X) prada
- 4 - Leather seats (539X) salerno
- 5 - Perforated leather seats (539X) luxury micro
- 6 - Perforated seats with suede inserts
- 7 - Perforated prem leather fabric seats
- C - Cloth seats
- D - Cloth #3 seats
- L - Leather seats
- P - Perforated leather seats #1
- V - Vinyl (ActiveX) seats

Interior Trim Color Codes

- C - Ceramic
- D - Dune

- E - Ebony
- F - Cashmere

Tape/Paint Stripe Codes

Tape and paint stripe codes do not apply.

Radio Codes

The following lists available radio codes:

- A - ICE feature pack 34
- B - AM/ FM stereo, CD player, SDARS (Satellite Digital Audio Receiver System), HD (high-definition)
- D - ICE-SCD DUAL/5TH CH/TMC/DAB/PD
- G - AM/ FM stereo, CD player
- L - ICE feature pack 47
- N - ICE feature pack 49
- S - AM/ FM stereo, CD player, SDARS (Satellite Digital Audio Receiver System)
- Z - ICE feature pack 23

Axle Type

The following lists the available axle ratios and associated codes:

- 3D - 3.16 ratio
- 3F - 3.39 ratio
- 3K - 3.80 ratio
- 3X - 3.47 ratio
- MY- 4.53 ratio

Transmission Codes

Available transmissions are as follows:

- 8 - 8-speed automatic (8F35)
- F - 8-speed automatic (8F57)
- P - 8-speed automatic (8F40)
- V - 6-speed manual (MMT6)

Spring Codes

Spring codes are listed as a 2-part code. The first 2 characters identify the RH and LH front springs. The third and fourth characters identify the RH and LH rear springs.


Front Springs

- BB - FWD
- CC - AWD


Rear Springs

- 22 - FWD
- AA - AWD

Powertrain Calibration Information



NOTE: Powertrain calibration information is limited to a maximum of 5 characters per line on the VC label. Because of this, calibration identification consisting of more than 5 characters will wrap to the second line on the VC label.



Powertrain calibration information is printed in the lower right corner of the VC label. Only the base calibration information is printed. Revision levels will not appear, however, they can be obtained through a scan tool using the most current software revision.

Item	Description
1	Model year (year in which the calibration strategy was first introduced).
2	Vehicle line
3	Transmission code
4	Unique calibrations (designates different hardware to similar vehicles), example: tires or drive ratios
5	Fleet code (describes fleet to which the vehicle belongs), example: 6 - EVAP
6	Certification region (lead region where multiple regions are included in one calibration), example: A - US federal
7	Revision level (will advance as revisions occur), not printed on label but may be obtained through scan tool

Model Year

- F - 2015
- G - 2016
- H - 2017
- J - 2018
- K - 2019
- L - 2020

Vehicle Code

- DQ - Ford Edge

Transmission Code

- 1 - Manual transmission
- 2 - Automatic transmission

Unique Calibration

The Emission/Corporate Average Fuel Economy/CO2 Compliance Department is responsible for assigning these calibration numbers. Unique identifications are assigned to cover similar vehicles to differentiate between tires, drive configurations, final drive ratios and other calibration-significant factors. These 2 characters are chosen by the analyst to provide identifiable information unique to each calibration. For example, using the number 2 to denote a 2- valve engine versus using the number 4 to denote a 4-valve engine provides an easily identifiable difference.

Fleet Coding

- 0 - Certification (U.S. 4K, final sale in export markets)
- 1 - Heavy duty gas engine/Dyno
- 2 - Fast Automobile Manufacturers' Association, U.S.
- 3 - Alternative durability protocol, U.S.
- 4 - Not assigned
- 5 - Not assigned
- 6 - EVAP
- 7 - Mileage accumulation aging endurance durability
- 8 - OBD
- 9 - Not assigned

Certification Region

- 5 - U.S. 50 states
- A - U.S. federal, including altitude, may include Canada and/or Mexico
- B - U.S. California standard, includes U.S. green states
- C - Canada
- D - China
- E - European Community - Austria, Belgium, Denmark, Finland, France, Germany, Greece, Ireland, Italy, Luxembourg, Netherlands, Portugal, Spain, Sweden and UK (United Kingdom)
- F - ECC (European Extended Community) - E-plus Croatia, Czech Republic, Estonia, Hungary, Norway, Poland, Romania, Russian Federation, Slovakia, Slovenia, Switzerland and Yugoslavia)
- G - GCC (Gulf Cooperative Council) - Bahrain, Kuwait, Oman, Qatar, Saudi Arabia and UAE (United Arab Emirates)
- H - Hong Kong
- J - Japan
- K - Korea
- L - Malaysia
- M - Mexico
- N - New Zealand
- P - Australia
- Q - South America (Brazil)
- S - Singapore
- T - Taiwan
- U - South America (unleaded fuel regions)
- V - Vietnam
- X - ROW (Rest Of World)
- Y - Military
- Z - Israel

Revision Level (not printed on label)

- 91-99 - Hardware and certification levels
 - 01-04 - Preliminary levels
 - 00 - Job 1 production (initial certification)
 - 05-09 - Pre-job 1 revisions to calibrations
 - 10-89 - Post-job 1 revisions to calibrations
 - 0B - Durability test level
 - BD - OBD intermediate level (pre-05)
-

mcx30.com

100-02 Jacking and Lifting

Description and Operation