


Body Harness In-line Electrical Connector


Callout	Connector
1	Distance to release tang - 0.3346 in (8.5 mm)
2	Terminal width size - 0.1102 in (2.8 mm)
3	Terminal width size - 0.0591 in (1.5 mm)
4	Distance to release tang - 0.3858 in (9.8 mm) (inner)



9.

Body Harness In-line Electrical Connector

Callout	Connector
1	Distance to release tang - 0.3543 in (9 mm)
2	Terminal width size - 0.0591 in (1.5 mm) (inner terminal) - 0.1102 in (2.8 mm) (outer terminal)
3	Terminal width size - 0.2480 in (6.3 mm)
4	Distance to release tang - 0.3543 in (9 mm)



10.

Body Harness In-line and Seat Harness Electrical Connector

Callout	Connector
1	Distance to release tang - 0.4331 in (11 mm)
2	Terminal width size - 0.0591 in (1.5 mm)
3	Terminal width size - 0.0591 in (1.5 mm)
4	Distance to release tang - 0.4331 in (11 mm)

E264193

11.

Body Harness In-line and Seat Module Electrical Connector

Callout	Connector
1	Terminal width size - 0.0591 in (1.5 mm)
2	Distance to release tang - 0.3937 in (10 mm)

E263717

100-01 Identification Codes

Description and Operation