




NOTE: Protect the caliper pistons and boots when pushing the caliper piston into the caliper piston bores or damage to components may occur.

If installing new brake pads. Use a C-clamp and a worn brake pad to compress the disc brake caliper pistons into the brake caliper bore.



REMOVAL AND INSTALLATION > BRAKE PADS > INSTALLATION

1.



NOTE: Make sure that the brake hose is not twisted when installing the brake caliper or damage to the brake flexible hose may occur.

To install, reverse the removal procedure.

2.



NOTE: If the fluid is spilled on the paintwork, the affected area must be immediately washed down with cold water.

Depress the brake pedal, check the brake fluid level in the brake fluid reservoir and top up as necessary with brake fluid. Refer to: Specifications .

REMOVAL AND INSTALLATION > FRONT BRAKE FLEXIBLE HOSE > REMOVAL



NOTE: Make sure that all openings are sealed.



NOTE: If the fluid is spilled on the paintwork, the affected area must be immediately washed down with cold water.



NOTE: Removal steps in this procedure may contain installation details.


All vehicles

1.

Remove the bolt and disconnect the brake hose. Discard the washers.

Torque

: 26 lb.ft (35 Nm)



Front wheel drive (FWD) vehicles

2.

1.

Unclip the wheel speed sensor harness from the brake hose.

2.

Detach the wheel speed sensor wiring retainer.

3.

Disconnect the brake tube fitting.

Torque

: 159 lb.in (18 Nm)

4.

Remove the brake hose bracket bolt.

Torque


: 159 lb.in (18 Nm)

5.

Remove the brake hose bracket bolt and the brake hose.

Torque

: 22 lb.ft (30 Nm)



Four wheel drive (4x4) vehicles

3.

1.

Unclip the wheel speed sensor harness from the brake hose.

2.

Detach the vacuum hose retainers and the wheel speed sensor harness retainer.

3.

Disconnect the brake tube fitting.

Torque

: 159 lb.in (18 Nm)

4.

Remove the brake hose bracket bolt.

Torque

: 159 lb.in (18 Nm)

5.

Remove the brake hose bracket bolt and the brake hose.

Torque