

Rear Door Window Glass - SuperCrew

Base Part Number: Base Part Number: 25712

Removal

All vehicles

NOTE: *LH side shown, RH side similar.*

1. Remove the rear door upper moulding.
Refer to: [Rear Door Upper Moulding](#) (501-08 Exterior Trim and Ornamentation, Removal and Installation).
2. Remove the rear door trim panel.
Refer to: [Rear Door Trim Panel - SuperCrew](#) (501-05 Interior Trim and Ornamentation, Removal and Installation).
3. Remove the watershield.



E192556



Vehicles with manual windows

4. Lower the rear door window glass.
 1. Install the rear door window glass handle.
 2. Lower the rear door window glass.




Vehicles with power windows

5. Remove the rear door window control switch

Refer to: [Rear Door Window Control Switch - SuperCrew, Vehicles With: Rear Power Windows](#) (501-11 Glass, Frames and Mechanisms, Removal and Installation).

6. Lower the rear door window glass.
 1. Install the rear door window control switch.
 2. Lower the rear door window glass.



All vehicles


7. Remove the inner belt moulding.



E192667




8. Remove the rear door glass top run.




Vehicles with manual windows

9. Release the clips from rear door window glass.



Vehicles with power windows

10. Release the clips from rear door window glass.



All vehicles

11. Remove the rear door glass.



E192729



Installation

1. To install, reverse the removal procedure.

Copyright © 2018 Ford Motor Company
