

### 3. FINAL OPERATION



Refit:



the brake drum([see 33A, Rear axle components, Rear drum brake assembly : Exploded view](#)) ,



the rear wheel([Wheel: Removal - Refitting](#)) .



Adjust the brake linings by depressing the brake pedal repeatedly.



Check that the incremented compensation system is working properly (characteristic "click" from the drums when the brake pedal is repeatedly depressed).



Proceed in the reverse order to removal.




Repair-13x03x04x01-01x37-1-17-1.xml



XSL version : 3.02 du 22/07/11

mcx30.com



[Illustration key: Description .](#)

For fastenings with no specified tightening torque values, refer to the Table of Standard Torques [Tightening torques: General information .](#)

| Marks | Designations              | Informations                                                                             |
|-------|---------------------------|------------------------------------------------------------------------------------------|
| 1     | Rear end panel            | Material : E/P                                                                           |
| 2     | Rear towing ring cover    |                                                                                          |
| 3     | Rear bumper               | (see 55A, Exterior protection, Rear bumper: Removal - Refitting, page )<br>Material : PP |
| 4     | Rear bumper absorber      |                                                                                          |
| 5     | Rear bumper               | (see 55A, Exterior protection, Rear bumper: Removal - Refitting, page )<br>Material : PP |
| 6     | Reflector                 |                                                                                          |
| 7     | Rear bumper absorber      |                                                                                          |
| 8     | Rear impact absorber unit |                                                                                          |